

**1. Identification of the substance/preparation and of the company/undertaking****1.1 Identification of the product****Product code:** A5140**Product name:** Antimony Potassium Tartrate**CAS No.:** 28300-74-5**1.2 Recommended use and restriction on use**

General use : for experimental, research and industrial use

Restriction on use : Never drink, Not used except for experimental, research and industrial applications.

**1.3 Manufacturer / Supplier / Distributor information****Importer/distributors identification**

Company : ASIA CHEMIE (THAILAND) CO., LTD.

Address : 44/27 Moo.4 T.Huaykapi A.Muangchonburi, Chonburi, Thailand. 20130

Telephone number : +66 3838 7988

Fax number : +66 3838 7989

E-mail : asiachemie@gmail.com, natchakot@asiachemie.com, natchakot@gmail.com

**2. Hazards identification****2.1 GHS Classification**

Acute toxicity (oral): Category4

Germ cell mutagenicity: Category2

Specific target organ toxicity (Single exposure): Category1

Specific target organ toxicity (Repeated exposure): Category1

**2.2 GHS label elements****Hazard symbols****Signal words :** Danger**Hazard statements**

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P307+P311 If exposed: Call a POISON CENTER or doctor/physician.

P308+P313 If exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment.

P330 Rinse mouth.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

**2.3 Other hazards which do not result in classification: (NFPA Classification)**

Not available

**3. Composition/information on ingredients**

Chemical Name	Synonyms	CAS No.	Concentration (%)
Potassium antimonyl tartrate	-	28300-74-5	100

**4. First aid measures****4.1 Eye contact**

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.

**4.2 Skin contact**

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.
- Get medical attention immediately.

**4.3 Inhalation contact**

- Take specific treatment if needed.
- When exposed to large amounts of steam and mist, move to fresh air.
- Get medical attention immediately.

**4.4 Ingestion contact**

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

**4.5 Delayed and immediate effects and also chronic effects from short and long term exposure**

- Not available

**4.6 Notes to physician**

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.
- If exposed or concerned, get medical attention/advice.

**5. Fire-fighting measures****5.1 Suitable (Unsuitable) extinguishing media**

- Avoid use of water jet for extinguishing.
- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray.

**5.2 Specific hazards arising from the chemical**

- Causes damage to organs through prolonged or repeated exposure.
- Causes damage to organs.
- Harmful if swallowed.
- Suspected of causing genetic defects.

**5.3 Special protective actions for firefighters**

- Avoid inhalation of materials or combustion by-products.
- Cool containers with water until well after fire is out.
- Do not approach the tank surrounded by fire until it is extinguished.
- In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to burn.
- Keep unauthorized personnel out.

**6. Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Do not touch spilled material. Stop leak if you can do it without risk.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment
- Move container to safe area from the leak area.
- Must work against the wind, let the upwind people to evacuate.
- Remove all sources of ignition.

**6.2 Environmental precautions**

- If large amounts have been spilled, inform the relevant authorities.
- Prevent runoff and contact with waterways, drains or sewers.

**6.3 Methods and materials for containment and cleaning up**

- Appropriate container for disposal of spilled material collected.
- Disposal of waste shall be in compliance with the Wastes Control Act.
- Dust spills: Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Large spill: Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.

**7. Handling and storage****7.1 Precautions for safe handling**

- Avoid contact with incompatible materials.
- Avoid direct physical contact.
- Comply with all applicable laws and regulations for handling
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.

**7.2 Conditions for safe storage, including any incompatibilities**

- Avoid direct sunlight.
- Check regularly for leaks.
- Do not apply any physical shock to container.
- Do not apply direct heat.
- Do not use damaged containers.

**8. Exposure controls/personal protection****8.1 Exposure limits****ACGIH TLV**

- Not available

**OSHA PEL**

- [Potassium antimonyl tartrate]: 0.5

**8.2 Engineering controls**

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.
- Individual protection measures, such as personal protective equipment

**8.3 Individual protection measures, such as personal protective equipment****Respiratory protection**

- Air-purifying respirator with high-efficiency particulate filtering
- Any respiratory protection with a electromotion fan (for dust, mist, fume-purifying)
- Consider warning properties before use.
- Dust, mist, fume-purifying respiratory protection
- For Unknown Concentration or Immediately Dangerous to Life or Health: Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.
- Respiratory protection is ranked in order from minimum to maximum.
- Self-contained breathing apparatus with a corpuscle filter of high efficiency
- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.

**Eye protection**

- Provide an emergency eye wash station and quick drench shower in the immediate work area.
- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.

**Hand protection**

- Wear appropriate chemical resistant glove.

**Skin protection**

- Wear appropriate chemical resistant protective clothing.

**Others**

- Not available

**9. Physical and chemical properties**

A. Appearance	
- Appearance	Solid
- Color	colorless, white
B. Odor	Not available
C. Odor threshold	Not available
D. pH	5.5
E. Melting point/Freezing point	100 °C
F. Initial Boiling Point/Boiling Ranges	Not available
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability (solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	Not available
L. Solubility	83 g/l (20°C, pH: 3.5~4.5)

M. Vapour density	Not available
N. Specific gravity (Relative density)	2.6 (20 °C)
O. Partition coefficient of n-octanol/water	Not available
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	667.87
T. Molecular formula	C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> ·3H <sub>2</sub> O

## 10. Stability and reactivity

### 10.1 Chemical Stability

- This material is stable under recommended storage and handling conditions.

### 10.2 Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

### 10.3 Conditions to avoid

- Avoid: Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- Avoid contact with incompatible materials and condition.

### 10.4 Incompatible materials

- Not available

### 10.5 Hazardous decomposition products

- May emit flammable vapour if involved in fire.

## 11. Toxicological information

### 11.1 Information on the likely routes of exposure

#### Respiratory tracts

- Not available

#### Oral

- Harmful if swallowed

#### Eye · Skin

- Not available

### 11.2 Delayed and immediate effects and also chronic effects from short and long term exposure

#### Acute toxicity

##### \* Oral

- [Potassium antimonyl tartrate]: LD50 115 mg/kg Rat

##### \* Dermal

- Not available

##### \* Inhalation

- Not available

#### Skin corrosion/irritation

- Not available

#### Serious eye damage/irritation

- Not available

#### Respiratory sensitization

- Not available

#### Skin sensitization

- Not available

#### Carcinogenicity

##### \* IARC

- Not available

##### \* OSHA

- Not available

##### \* ACGIH

- Not available

##### \* NTP

- Not available

##### \* EU CLP

- Not available

#### Germ cell mutagenicity

- Suspected of causing genetic defects

**Reproductive toxicity**

- Not available

**STOT-single exposure**

- Causes damage to organs

**STOT-repeated exposure**

- Causes damage to organs through prolonged or repeated exposure

**Aspiration hazard**

- Not available

**12. Ecological information****12.1 Ecotoxicity****Fish**

- [Potassium antimonyl tartrate]: LC50 37 mg/l 96 hr *Oncorhynchus mykiss* (ECOTOX)

**Crustaceans**

- [Potassium antimonyl tartrate]: LC50 5 mg/l 48 hr *Daphnia magna* (ECOTOX)

**Algae**

- [Potassium antimonyl tartrate]: EC50 206 mg/l 72 hr other (*Pseudokirchneriella subcapitata*, OECD Guideline 201) (ECOTOX)

**12.2 Persistence and degradability****Persistence**

- [Potassium antimonyl tartrate]: log Kow = -4.21 (Estimate)

**Degradability**

- Not available

**12.3 Bioaccumulative potential****Bioaccumulative potential**

- [Potassium antimonyl tartrate]: 3.4 (ECOTOX)

**Biodegradation**

- Not available

**12.4 Mobility in soil**

Not available

**12.5 Other adverse effects**

Not available

**13. Disposal considerations****13.1 Disposal methods**

- It shall be treated by incineration.
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable.
- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them.

**13.2 Special precautions for disposal**

- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according to the Wastes Control Act.
- Dispose of waste in accordance with all applicable laws and regulations.

**14. Transport information****14.1 UN No. (IMDG CODE/IATA DGR)**

- 1551

**14.2 Proper shipping name**

- ANTIMONY POTASSIUM TARTRATE

**14.3 Hazard Class**

- 6.1

**14.4 IMDG CODE/IATA DGR Packing group**

- III

**14.5 Marine pollutant**

- Not applicable

**14.6 Special precautions for user related to transport or transportation measures**

- Air transport (IATA): Not subject to IATA regulations.
- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency

requirements.

- EmS FIRE SCHEDULE: F-A (General fire schedule)
- EmS SPILLAGE SCHEDULE: S-A (Toxic substances)

## 15. Regulatory information

### 15.1 National and/or international regulatory information

#### POPs Management Law

- [Potassium antimonyl tartrate]: Not applicable

#### Information of EU Classification

##### \* Classification

- Not applicable

#### U.S. Federal regulations

##### \* OSHA PROCESS SAFETY (29CFR1910.119)

- Not applicable

##### \* CERCLA Section 103 (40CFR302.4)

- [Potassium antimonyl tartrate]: 45.3599 kg 100 lb

##### \* EPCRA Section 302 (40CFR355.30)

- Not applicable

##### \* EPCRA Section 304 (40CFR355.40)

- Not applicable

##### \* EPCRA Section 313 (40CFR372.65)

- [Potassium antimonyl tartrate]: Applicable

#### Rotterdam Convention listed ingredients

- Not applicable

#### Stockholm Convention listed ingredients

- Not applicable

#### Montreal Protocol listed ingredients

- Not applicable

## 16. Other information

**Reason for the revision:** General update.

Date: 05/12/2014

#### Revision 6

Date: 16/06/2023

*No warranty, expressed or implied for a particular purpose or otherwise is made, except the products herein discussed comply to the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Producer or distributors shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions.*